

Opportunities and challenges in rheumatology research in Central Europe

Szekanecz, Zoltán; Anić, Branimir; Héjj, Gábor; Holc, Iztok; Hunka, Aniella; Kucharz, Eugene; Machold, Klaus; Mayer, Miroslav; Pahor, Artur; Puchner, Rudolf; ...

Source / Izvornik: **Arthritis Research & Therapy, 2017, 19, 196 - 196**

Journal article, Published version

Rad u časopisu, Objavljena verzija rada (izdavačev PDF)

<https://doi.org/10.1186/s13075-017-1368-z>

Permanent link / Trajna poveznica: <https://urn.nsk.hr/urn:nbn:hr:105:574741>

Rights / Prava: [In copyright](#) / [Zaštićeno autorskim pravom.](#)

Download date / Datum preuzimanja: **2024-07-19**



Repository / Repozitorij:

[Dr Med - University of Zagreb School of Medicine
Digital Repository](#)



COMMENTARY

Open Access



Opportunities and challenges in rheumatology research in Central Europe

Zoltán Szekanecz^{1*}, Branimir Anic², Gábor Héjj³, Iztok Holc⁴, Aniella Hunka³, Eugene Kucharz⁵, Klaus Machold⁶, Miroslav Mayer², Artur Pahor⁴, Rudolf Puchner⁷, Jozef Rovensky⁸, Ladislav Senolt⁹, Alena Tuchynova⁸, Jiri Vencovsky⁹ and Josef S. Smolen⁶

Abstract

The Central European Congress of Rheumatology (CECR) has been organized by seven Central European countries: Austria, Croatia, Czech Republic, Hungary, Poland, Slovakia, and Slovenia. These countries have lots of similarities, but also differences, with respect to rheumatology research. In this paper, based on questionnaires, we wish to demonstrate achievements and difficulties in rheumatology research performed in our region.

Keywords: Central Europe, Rheumatology, Research, Funding, Arthritis, Collaboration

Some indicators of rheumatology care

In order to understand rheumatological research in these countries, first we should assess postgraduate training and the definition of rheumatologists. In some countries, such as Austria and Czech Republic, most rheumatologists are also internists. On the other hand, in Hungary, about 70% of rheumatologists are not internists so many of them do not treat connective tissue diseases.

There are between 2 and 75 rheumatology hospitals/ departments in these countries. Where internists treat rheumatic patients, most outpatient and inpatient care is of course performed in internal medicine units. There are variable numbers of patients treated with biologics (Table 1).

Background

Central European countries have common geopolitical backgrounds and numerous similarities with respect to history and development including medical care and research. Here we will deal with the seven official organizers of the Central-Eastern Congress of Rheumatology (CECR): Austria, Croatia, Czech Republic, Hungary, Poland, Slovakia, and Slovenia. There are significant differences between the countries with respect to gross domestic product (GDP), organization of healthcare, and research funding.

In this brief review, we wish to describe the recent developments and present the current situation of clinical rheumatology and research in Central Europe. For this purpose, we sent out a questionnaire to the presidents of the national societies.

Description of rheumatology research

As seen in Table 1, significant research in the field of arthritides, osteoporosis, and connective tissue diseases has been carried out over the past years. Our rheumatologists have been involved in the development of international recommendations (e.g. management of rheumatoid arthritis (RA), early RA, spondyloarthropathies, systemic sclerosis, systemic lupus erythematosus (SLE), myositis, Sjögren's syndrome, polymyalgia rheumatica, vasculitides, osteoporosis, alkaptonuria, cardiovascular comorbidities, and ultrasound) [1–13]. There have been active members of EULAR, EUSTAR, GRAPPA, ASAS, EURO-PHOSPHOLIPD, MYONET, and several other working groups. Although there have been significant limitations in funding of research, recently our countries have been involved in large European Union (EU), Horizon2020, Forum, and other collaborative projects.

The Central European Congress of Rheumatology

CECR congresses started in 1996 in Piestany (Slovakia), and were followed by meetings every other year in Warsaw (1998), Bratislava (2000), Baden (2002),

* Correspondence:

szekanecz.zoltan@med.unideb.hu

¹Department of Rheumatology, University of Debrecen Faculty of Medicine, Nagyerdei str 98, Debrecen H-4032, Hungary

Full list of author information is available at the end of the article



Table 1 Key figures in the seven countries

	Austria	Croatia	Czech Republic	Hungary	Poland	Slovakia	Slovenia
Population (millions)	8.3	4.4	10.4	10.0	38.5	5.4	2.0
GDP per capita (IMF, 2016, Int\$)	47,800	22,400	33,200	27,200	27,700	31,200	32,000
No. of rheumatologists	324	47	350	800	-1300	71	21
No. of rheumatology departments/hospitals	10/2	18	12	31	75	1+ ***	7
No. arthritis patients on biologics	N/A	1800	5700	8500	-8000	2200	2200
No. of research centres (with international publications)	20	7	5	21	15	6	2
No. of research groups	20	7	13	21	15	6	2
Main research topics	<ul style="list-style-type: none"> • Several clinical trials in arthritis, SLE, etc • EULAR-related activities, recommendations • Registries (BIOREG), databases, biobanking • Autoantibodies • Bone/osteimmunology • Experimental arthritis • Experimental lupus • Outcomes research (RA, PsA, SLE, OA) • Scleroderma • Ultrasonography • Osteoarthritis • Psoriatic arthritis • PMR • Health services research 	<ul style="list-style-type: none"> • Epidemiology of SLE • Cardiovascular comorbidities • SpA • Systemic sclerosis • Osteoporosis • Osteoclast progenitors • JIA biomarkers 	<ul style="list-style-type: none"> • Inflammatory myopathies • Biomarkers • SpA • Systemic sclerosis • Early arthritis • Osteoporosis • Urate transporters • miRNA • JIA • Registries 	<ul style="list-style-type: none"> • Comorbidities (CV, malignancies) • RA • Systemic sclerosis • SpA • Osteoporosis • Urate transporters • Genomics • SLE • Sjögren's • Myositis • MCTD • T and B cell subsets • Arthritis models 	<ul style="list-style-type: none"> • RA • Pregnancy • Systemic sclerosis • Stem cell transplantation • Ultrasonography • GCA • Fibromyalgia • Immunopathology • SpA • Ped. rheumatology • Osteoporosis 	<ul style="list-style-type: none"> • Alkaptonuria • Corticosteroids in the elderly • Hyperprolactinemia syndrome • PET-CT in vasculitis • Autoinflammatory syndromes • SLE • Osteoporosis 	<ul style="list-style-type: none"> • Atherosclerosis in RA • Sjögren's • Hyperprolactinemia syndrome • Vasculitis • Adherence to treatment • Antiphospholipid syndrome
Number of publications with IF (2012–2016)	278*	90	250	315	663	55	21
National journal	<i>Zeitschrift für Rheumatologie</i> (Germany)	<i>Rheumatizam</i>	<i>Czech Rheumatology</i>	<i>Magyar Rheumatológia</i> (Hungarian Rheumatology)	<i>Rheumatologia</i> (bimonthly; in English) <i>Forum Reumatologiczne</i> (quarterly; in Polish)	<i>Rheumatologia</i>	None
No. of PhD theses in rheumatology	4**	10	9	16	7	0	0
No. of research grants awarded	16	8	17	43	N/A	3	0

* First or last authorship

** Associate Professorship

*** Many arthritis and autoimmune patients are treated in internal medicine departments

CV cardiovascular, GCA giant cell arteritis, GDP gross domestic product, IF impact factor, JIA juvenile idiopathic arthritis, MCTD mixed connective tissue disease, miRNA microRNA, N/A not available, OA osteoarthritis, PET-CT positron emission tomography-computed tomography, PMR psoriatic arthritis, PsA psoriatic arthritis, RA rheumatoid arthritis, SLE systemic lupus erythematosus, SpA spondyloarthropathy

Budapest (2004), Bled (2006), Prague (2008), Sopron (2010), Krakow (2012), Vienna (2014), and again Prague (2016). Croatia joined “the club” in 2016 and the next meeting will be in Zagreb in 2018.

EULAR activities

The 70-year-old European League Against Rheumatism (EULAR) is the key organization in the field of rheumatology. The seven countries have nominated country representatives on the EULAR committees. In addition, Frantisek Lench (Czechoslovakia), Karl Gotsch (Austria), Béla Gömör (Hungary), and Josef Smolen (Austria) served as EULAR presidents. Karel Pavelka (Czech Republic) and László Czirják (Hungary) worked as General Secretary. Tadej Avcin (Slovenia) is currently Chairperson of the Standing Committee on Paediatric Rheumatology. Daniel Aletaha (Austria) chaired the Standing Committee for Clinical Affairs. Zoltan Szekanecz (Hungary) and Tadej Avcin are currently members of the Scientific Programme Committee of the EULAR congress. Past members of the Scientific Committee include Jiri Vencovsky and Karel Pavelka (Czech Republic), Włodzimierz Maslinski (Poland), and Kurt Redlich (Austria). Jiri Vencovsky is currently acting as the treasurer for FOREUM.

The numbers of submitted and accepted EULAR abstracts are relevant indicators of the quality of rheumatology research. As listed in Table 2, the 7 countries together submitted 169, 152, 153, 133, and 138 abstracts to the last five EULAR congresses (2012–2016), respectively. The total number of submissions to these congresses was 3806, 3872, 4041, 4323, and 4109, respectively. Thus, our 7 countries submitted 4.4%, 3.9%, 3.8%, 3.1%, and 3.4% of all abstracts, respectively. The percentage of accepted abstracts (oral + poster tour + poster + abstract publication only) was 79.3%, 75.0%, 85.0%, 79.7%, and 77.5%, respectively.

With respect to the number of abstract submissions, in 2015 Austria, Croatia, Czech Republic, Hungary, Poland, Slovakia, and Slovenia ranked 36th, 48th, 35th, 30th, 27th, 51st, and 46th, respectively, among the 84 countries with abstract submissions. In 2016, these

ranks were 29th, 53rd, 32nd, 35th, 28th, 62nd, and 45th, respectively. Austria, Croatia, Czech Republic, Hungary, Poland, Slovakia, and Slovenia submitted 150, 40, 138, 150, 190, 34, and 43 abstracts, respectively, a total of 745, to the 2012–2016 congresses. The total acceptance rates were 88.0%, 77.5%, 77.5%, 72.7%, 81.6%, 55.9%, and 88.4%, respectively. Austria ($n = 7$), Hungary ($n = 6$), Poland ($n = 6$), and Czech Republic ($n = 5$) had the most oral presentations.

The seven countries have varying population numbers (Table 1) so their relative share within the whole of Europe differs. However, the seven Central European countries took a significant share (3–4%) of abstracts submissions to recent EULAR congresses with an acceptance rate of 75–85%.

EWRR

The first European Workshop of Rheumatology Research (EWRR) was organized in London in 1981. The idea of the annual EWRR meetings was to give a platform to mostly young researchers to present their data in basic and translational rheumatology research. To date, 37 EWRR meetings have been organized. Among our seven countries, Vienna (twice), Warsaw, Prague, and Budapest have hosted EWRR congresses. An also increasing number of presentations from Central Europe has been included in the very recent EWRR meetings.

Problems to solve

Maybe with the exception of Austria, our countries have experienced a significant delay in the development of rheumatology research. For many years, only Austria and Czech Republic could be part of large international projects (e.g. BeTheCure, AutoCure). In many countries, research is very much centralized to the capital (Vienna, Prague, Ljubljana, Zagreb) or to nominated centres (Piestany). It is more evenly distributed among numerous university towns in Hungary and Poland. A major problem is lack of interest of young physicians in the field of rheumatology, as well as the large workload in routine clinical practice, leaving little time for research. With the advent of new therapies and novel molecular insights, this interest will hopefully rise again over the next years. Funding has been an issue and we hope that, with development, these countries could also participate in more EU- or EULAR-related projects. With respect to human resources, the “next generation” of rheumatologists is now slowly establishing itself in the international community.

Conclusion

Although, with the exception of Austria, these countries were socialist countries, significant development has been observed in rheumatology research.

Table 2 EULAR congress activity

	2012	2013	2014	2015	2016	Total
Submitted	169	152	153	133	138	745
Accepted	134	114	130	106	107	591
Oral	5	2	9	5	5	26
Poster tour	9	17	7	9	12	54
Poster	42	55	38	45	43	223
Publication	78	40	76	47	47	288
Acceptance rate (%)	79.3	75.0	85.0	79.7	77.5	79.3

Abbreviations

CECR: Central European Congress of Rheumatology; EU: European Union; EULAR: European League Against Rheumatism; EWRR: European Workshop of Rheumatology Research; GDP: Gross domestic product

Acknowledgements

We wish to thank EULAR for supplying us with the data on recent congresses

Funding

None.

Availability of data and materials

Not applicable.

Authors' contributions

Each author supplied data and read the manuscript. All authors read and approved the final manuscript.

Author's information

See above.

Competing interests

The authors declare that they have no competing interests.

Consent for publication

All authors gave consent.

Ethics approval and consent to participate

Not needed.

Accession numbers

Not applicable.

Clinical trial registration number

Not applicable.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Author details

¹Department of Rheumatology, University of Debrecen Faculty of Medicine, Nagyerdei str 98, Debrecen H-4032, Hungary. ²Division of Clinical Immunology and Rheumatology, Department of Internal Medicine, University of Zagreb School of Medicine, Zagreb, Croatia. ³National Institute of Rheumatology and Physiotherapy, Budapest, Hungary. ⁴Department of Rheumatology, Division of Internal Medicine, University Medical Centre of Maribor, Maribor, Slovenia. ⁵Department of Internal Medicine and Rheumatology, Medical University of Silesia, Katowice, Poland. ⁶Department of Rheumatology, Medical University of Vienna, Vienna, Austria. ⁷Private Practice, Wels, Austria. ⁸National Institute of Rheumatic Diseases, Piestany, Slovakia. ⁹Institute of Rheumatology, Prague, Czech Republic.

Published online: 04 September 2017

References

- Smolen JS, Landewe R, Bijlsma J, Burmester G, Chatzidionysiou K, Dougados M, Nam J, Ramiro S, Voshaar M, van Vollenhoven R, et al. EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. *Ann Rheum Dis*. 2017;76(6):960–77.
- Combe B, Landewe R, Daien CI, Hua C, Aletaha D, Alvaro-Gracia JM, Bakkers M, Brodin N, Burmester GR, Codreanu C, et al. 2016 update of the EULAR recommendations for the management of early arthritis. *Ann Rheum Dis*. 2017;76(6):948–59.
- Muller-Ladner U, Tyndall A, Czirkaj L, Denton C, centres E, Matucci-Cerinic M. Ten years EULAR Scleroderma Research and Trials (EUSTAR): what has been achieved? *Ann Rheum Dis*. 2014;73(2):324–7.
- van Vollenhoven RF, Mosca M, Bertsias G, Isenberg D, Kuhn A, Lerstrom K, Aringer M, Bootsma H, Boumpas D, Bruce IN, et al. Treat-to-target in systemic lupus erythematosus: recommendations from an international task force. *Ann Rheum Dis*. 2014;73(6):958–67.
- Aggarwal R, Rider LG, Ruperto N, Bayat N, Erman B, Feldman BM, Oddis CV, Amato AA, Chinoy H, Cooper RG, et al. 2016 American College of Rheumatology/European League Against Rheumatism criteria for minimal, moderate, and major clinical response in adult dermatomyositis and polymyositis: An International Myositis Assessment and Clinical Studies Group/Paediatric Rheumatology International Trials Organisation Collaborative Initiative. *Ann Rheum Dis*. 2017;76(5):792–801.
- Lems WF, Dreinhofer KE, Bischoff-Ferrari H, Blauth M, Czerwinski E, da Silva J, Herrera A, Hoffmeyer P, Kvien T, Maalouf G, et al. EULAR/EFORT recommendations for management of patients older than 50 years with a fragility fracture and prevention of subsequent fractures. *Ann Rheum Dis*. 2017;76(5):802–10.
- Ranganath LR, Milan AM, Hughes AT, Dutton JJ, Fitzgerald R, Briggs MC, Bygott H, Psarelli EE, Cox TF, Gallagher JA, et al. Suitability Of Nitrofurantoin In Alkaptouria 1 (SONIA 1): an international, multicentre, randomised, open-label, no-treatment controlled, parallel-group, dose-response study to investigate the effect of once daily nitrofurantoin on 24-h urinary homocysteinic acid excretion in patients with alkaptouria after 4 weeks of treatment. *Ann Rheum Dis*. 2016;75(2):362–7.
- Agca R, Heslinga SC, Rollefstad S, Heslinga M, McInnes IB, Peters MJ, Kvien TK, Dougados M, Radner H, Atzeni F, et al. EULAR recommendations for cardiovascular disease risk management in patients with rheumatoid arthritis and other forms of inflammatory joint disorders: 2015/2016 update. *Ann Rheum Dis*. 2017;76(1):17–28.
- Colebatch AN, Edwards CJ, Ostergaard M, van der Heijde D, Balint PV, D'Agostino MA, Forslund K, Grassi W, Haavardsholm EA, Haugeberg G, et al. EULAR recommendations for the use of imaging of the joints in the clinical management of rheumatoid arthritis. *Ann Rheum Dis*. 2013;72(6):804–14.
- Gossec L, Smolen JS, Gaujoux-Viala C, Ash Z, Marzo-Ortega H, van der Heijde D, Fitzgerald O, Aletaha D, Balint P, Boumpas D, et al. European League Against Rheumatism recommendations for the management of psoriatic arthritis with pharmacological therapies. *Ann Rheum Dis*. 2012;71(1):4–12.
- Dejaco C, Singh YP, Perel P, Hutchings A, Camellino D, Mackie S, Abril A, Bactha A, Balint P, Barraclough K, et al. 2015 Recommendations for the management of polymyalgia rheumatica: a European League Against Rheumatism/American College of Rheumatology collaborative initiative. *Ann Rheum Dis*. 2015;74(10):1799–807.
- Haraoui B, Smolen JS, Aletaha D, Breedveld FC, Burmester G, Codreanu C, Da Silva JP, de Wit M, Dougados M, Durez P, et al. Treating Rheumatoid Arthritis to Target: multinational recommendations assessment questionnaire. *Ann Rheum Dis*. 2011;70(11):1999–2002.
- van der Heijde D, Ramiro S, Landewe R, Baraliakos X, Van den Bosch F, Sepriano A, Regel A, Ciurea A, Dagfinrud H, Dougados M, et al. 2016 update of the ASAS-EULAR management recommendations for axial spondyloarthritis. *Ann Rheum Dis*. 2017;76(6):978–91.